

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing 01-Nov-2022 Date:

Revision Date: 01-Nov-2022

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Identifier	C-91522184-001_PGP_CLPR7_EUR
Product Name	P&G Professional Ariel S1 Actilift Detergent
Product Form	Mixture
Pure substance/mixture	Mixture
4.0. Delevery (identified wave of th	
1.2 Pelevant identified uses of th	a substance or mixture and uses advised against
1.2. Relevant identified uses of th Recommended use	ne substance or mixture and uses advised against Restricted to professional users
Recommended use Uses advised against	
Recommended use	Restricted to professional users
Recommended use Uses advised against	Restricted to professional users No information available

1.3. Details of the supplier of the safety data sheet

1.5. Details of the supplier of the safety	
Supplier	Manufacturer
Procter & Gamble UK Brooklands PGP,	P&G Amiens, Zone Industrielle, Rue Andre, Durouchez, BP 1336, 80013, Amiens,
Weybridge, Surrey, KT13 0XP, UK Tel:	France
01932 896000 Fax: 01932 896200	Tel: 33-3-22-543200 Fax: 33-3-22-435466
P&G DCE bvba/sprl-Belgium Dist. Div.,	
Temselaan 100, B-1853 Strombeek-Bever	· ,
Belgium (IE) 1800 535 119	
For further information, please contact	
E-mail address cus	stomerservice@pgprof.com
1.4. Emergency telephone number	
Emergency Telephone (U	K) Emergency Tel: 0800 328 8304 (IRL) Emergency Tel: 1800 509 497

(IRL) Poisons information: for information or to report a poisoning incident contact The National Poisons Information Centre 01 8092166 (8.00 a.m. to 10.00 p.m. 7 days a week)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements



Hazard statements

H319 - Causes serious eye irritation H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children
P101 - If medical advice is needed, have product container or label at hand
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P301 + P312 - IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell
P501 - Dispose of contents/container to an appropriate local waste system

EUH208 - Contains Isoeugenol May produce an allergic reaction.

2.3. Other hazards

No information available.

Endocrine Disruptor Information

There are no substances contained at or above the regulated value for declaration of >0.1% that fall under the definition of confirmed endocrine disruptors of any EU regulation.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

	CAS No	Weight-%	REACH registration number	EC No	Regulation (EC) No. 1272/2008 [CLP]	concentration limit (SCL)	M-Factor	M-Factor (long-term)
Sodium C10-13 Alkyl Benzenesulfonate			01-21194894 28-22		(Oral)(H302) Skin Irrit. 2(H315) Eye Dam. 1(H318) Aquatic Chronic 3(H412)	65%<=C<10 0%	-	-
C12-14 Pareth-n	68439-50-9	5 - 10	01-21194879 84-16	Polymer	Acute Tox. 4 (Oral)(H302) Eye Dam. 1(H318) Aquatic Chronic 3(H412)	-	-	-
Sodium Cumenesulfonate	28348-53-0	1 - 5	01-21207591 86-46	248-983-7	Eye Irrit. 2(H319)	-	-	-
Lauramine Oxide	308062-28-4	1 - 5	01-21194900 61-47	931-292-6	Acute Tox. 4 (Oral)(H302) Skin Irrit. 2(H315) Eye Dam. 1(H318) Aquatic Acute 1(H400) Aquatic Chronic		1	-

					2(H411)			
Isoeugenol	97-54-1	<1	01-21202236	202-590-7	Acute Tox. 4	Skin Sens.	-	-
			82-61		(Oral)(H302)			
					Acute Tox. 4	0.01%<=C<1		
					(Dermal)(H3	00%		
					12)			
					Skin Irrit.			
					2(H315)			
					Skin Sens.			
					1A(H317)			
					Eye Irrit.			
					2(H319)			
					Acute Tox. 4			
					(Inhalation:d			
					ust,mist)(H3			
					32)			
					STOT SE			
					3(H335)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate No information available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

SECTION 4: First aid measures

4.1. Description of first aid measures

Show this safety data sheet to the doctor in attendance.
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.
IF SWALLOWED:. Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.
Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).
l effects, both acute and delayed
Coughing and/ or wheezing. Redness. Swelling of tissue. Itching. Sneezing. Dryness. Pain. Blurred vision. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Excessive secretion.

 4.3. Indication of any immediate medical attention and special treatment needed

 Note to physicians
 Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing mediaUse extinguishing measures that are appropriate to local circumstances and the
surrounding environment.Large FireCAUTION: Use of water spray when fighting fire may be inefficient.Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the Product is or contains a sensitizer. May cause sensitization by skin contact. **chemical**

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective Personal precautions Other information For emergency responders	<u>ve equipment and emergency procedures</u> Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Refer to protective measures listed in Sections 7 and 8. Use personal protection recommended in Section 8.
6.2. Environmental precautions Environmental precautions	See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	inment and cleaning up
Methods for containment	Scoop absorbed substance into closing containers.
Methods for cleaning up	Small quantities of liquid spill:. Large Spills:. contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections Reference to other sections	See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Avoid contact with eyes. Use personal protection equipment. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilitiesStorage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters Exposure Limits

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) Long term.

Chemical name	Worker - dermal,	Worker - inhalative,	Worker - dermal,	Worker - inhalative,
	long-term - systemic	long-term - systemic	long-term - local	long-term - local
Sodium C10-13 Alkyl	119 mg/kg bw/day	7.6 mg/m³	-	-
Benzenesulfonate				
Sodium Cumenesulfonate	32 mg/kg bw/d	4.02 mg/m ³	4.49 mg/cm ²	4.02 mg/m ³
Lauramine Oxide	11 mg/kg bw/day	6.2 mg/m ³	-	-

C-91522184-001_PGP_CLPR7_EUR - P&G Professional Ariel S1 Actilift Detergent

Chemical name	Consumer - oral, long-term - local	Consumer - inhalative, long-term - local	Consumer - dermal, long-term - local
Sodium Cumenesulfonate	-	-	0.048 mg/cm ²
Chemical name	Consumer - oral, long-term -	Consumer - inhalative,	Consumer - dermal, long-term
	systemic	long-term - systemic	- systemic
Sodium C10-13 Alkyl	0.425 mg/kg bw/day	1.3 mg/m ³	42.5 mg/kg bw/day
Benzenesulfonate			
Sodium Cumenesulfonate	3.8 mg/kg bw/d	6.6 mg/m³	68.1 mg/kg bw/d
Lauramine Oxide	0.44 mg/kg bw/day	1.53 mg/m³	5.5 mg/kg bw/day

Derived No Effect Level (DNEL) Short term.

Chemical name	Worker - dermal,	Worker - inhalative,	Worker - dermal,	Worker - inhalative,
	short-term - systemic	short-term - systemic	short-term - local	short-term - local
Sodium Cumenesulfonate	-	770 mg/m ³	20 mg/kg bw/d	-

Predicted No Effect Concentration (PNEC)

Chemical name	Fresh Water	Marine water	Intermittent release
Sodium C10-13 Alkyl	0.268 mg/L	0.027 mg/L	0.017 mg/L
Benzenesulfonate		-	
Sodium Cumenesulfonate	0.23 mg/L	0.023 mg/L	2.3 mg/L
Lauramine Oxide	0.034 mg/L	0.003 mg/L	0.034 mg/L
Citric Acid	0.44 mg/L	0.044 mg/L	-

Chemical name	Freshwater	Marine sediment	Sewage	Soil	Air	Oral
	sediment		treatment plant			
Sodium C10-13 Alkyl Benzenesulfonate	8.1 mg/kg sediment dw	6.8 mg/kg sediment dw	3.43 mg/L	35 mg/kg soil dw	-	-
Sodium Cumenesulfonate	0.89 mg/kg sediment dw	0.089 mg/kg sediment dw	160 mg/L	1.954 mg/kg soil dw	-	-
Lauramine Oxide	5.24 mg/kg sediment dw	0.524 mg/kg sediment dw	24 mg/L	1.02 mg/kg soil dw	-	-
Citric Acid	34.6 mg/kg sediment dw	3.46 mg/kg sediment dw	1 000 mg/L	33.1 mg/kg soil dw	-	-

8.2. Exposure controls

Personal Protective Equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.
Environmental exposure controls	Prevent that the undiluted product reaches surface waters.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical a		
Physical state	Liquid	
Appearance	Liquid	
Color	Coloured	
Odor Odor three hold	Pleasant (perfume) No information available	
Odor threshold	No information available	
Property	Values	Remarks • Method
Melting point / freezing point	No data available	Not available. This property is not relevant for the safety and classification of this product
Initial boiling point and boiling rang	je 95 - 105 °C	
Flammability		Not applicable. This property is not relevant for liquid product forms
Flammability Limit in Air		Not available. This property is not relevant for the
·		safety and classification of this product No Data Available
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data available	
Flash point	No Flash to Boiling (NFTB)	
Autoignition temperature	No data available	Not applicable. This property is not relevant for liquid product forms
Decomposition temperature	No Data Available	Not available. This property is not relevant for the safety and classification of this product
рН	7 - 9	····· · · · · · · · · · · · · · · · ·
Dynamic viscosity	500 - 2000 mPa s	
Water solubility	Soluble in water	
Solubility(ies)	No Data Available	Not available. This property is not relevant for the
		safety and classification of this product
Partition coefficient	No Data Available	Not available. This property is not relevant for the safety and classification of this product
Vapor pressure	No Data Available	Not available. This property is not relevant for the
	4 4 9	safety and classification of this product
Relative density	1 - 1.2	Net explicitly. This was active and a law of the line is
Relative vapor density	No data available	Not applicable. This property is not relevant for liquid product forms
Particle characteristics		Not available. This property is not relevant for the safety and classification of this product
Particle Size	No information available	curry and oldomoutor of this product
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regard to physical hazard classes No information available

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity Reactivity

No information available.

 10.2. Chemical stability
 Stability

 Stability
 Stable under normal conditions.

 Explosion data
 Sensitivity to mechanical impact None.

 Sensitivity to static discharge
 None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	May cause redness and tearing of the eyes.
Numerical measures of toxicity	

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)4,701.70 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Benzenesulfonic acid,	1080 mg/kg bw (OECD 401)	> 2000 mg/kg bw (OECD 402)	-
C10-13-alkyl derivs., sodium			
salts			
Alcohols, C12-14, ethoxylated	>300-2000 mg/kg bw (Rat)	> 5000 mg/kg bw	-
(n=7)			
Benzenesulfonic acid,	> 7000 mg/kg bw (OECD 401)	> 2000 mg/kg bw (//OECD 402)	> 6.41 mg/L air
(1-methylethyl)-, sodium salt			
(1:1)			
Amine oxides,	1064 mg/kg bw (OECD 401)	> 2000 mg/kg bw (OECD 402)	-
C10-16-alkyldimethyl			
Isoeugenol	= 1560 mg/kg (Rat)	-	-

Chemical name	Carcinogenic ity	Species	Eye Damage		Development al toxicity	Species	Mutagenicity	Species
Sodium C10-13 Alkyl Benzenesulfonate	-	-	Y (OECD 405)	-	-	-	-	-
Sodium Cumenesulfonate	-		Y (100%; OECD 405)	-	-	-	-	-
Lauramine Oxide	-	-	Y (OECD 405)	-	-	-	-	-
Citric Acid	-	-	Y (OECD 405)	-	-	-	-	-

	Reproductive toxicity		Skin corrosion/irritatio n		Sensitization	Species
Sodium C10-13 Alkyl Benzenesulfonate	-	-	Y (OECD 404)	-	-	-
Lauramine Oxide	-	-	Y (OECD 404)	-	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.			
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory or skin sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	No information available.			
Reproductive toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Aspiration hazard	No information available.			
11.2. Information on other hazards	_			
11.2.1. Endocrine disrupting prope	erties			
Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors.			
11.2.2. Other information				
Other adverse effects	No information available.			

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Unknown aquatic toxicity

Contains 0.000165 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Benzenesulfonic acid,	127.9 mg/L	1.67 mg/L (USEPA	-	2.9 mg/L (OECD 202;
C10-13-alkyl derivs.,	(Desmodesmus	OPPTS 850.1075;		Daphnia magna; 48 h)
sodium salts	subspicatus; 72 h)	Lepomis macrochirus; 96		_
		h)		
Alcohols, C12-14,	>1-10 mg/L (OECD 201;	>1-10 mg/L (OECD 203;	-	> 1 - 10 mg/L (OECD 202;
ethoxylated (n=7)	Desmodesmus	Cyprinus carpio;		Daphnia magna; static
	subspicatus (green	flow-through test)		test)
	algae); static test)			
Benzenesulfonic acid,	> 230 mg/L (US EPA OTS	> 1000 mg/L (//US EPA	EC10: > 1000 mg/L (Data	> 450 mg/L (Daphnia
(1-methylethyl)-, sodium	797.1050;	OTS 797.1400;	on CAS# 28348-53-0;	magna; 48 h)
salt (1:1)	Pseudokirchnerella	Oncorhynchus mykiss; 96	OECD 209; activated	
	subcapitata; 96 h)	h)	sludge of a predominantly	
			domestic sewage; static;	
			freshwater; based on	
			active ingredient)	
Amine oxides,	0.266 mg/L (OECD 201;	2.67 mg/L (Pimephales	24 mg/L (Pseudomonas	3.1 mg/L (OECD 202;
C10-16-alkyldimethyl	Pseudokirchneriella	promelas; 96 hr)	putida; 18 h)	Daphnia magna; 48 h)
	subcapitata; 72 h)			

Chronic Toxicity

Chronic Toxicity					
Chemical name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia	Toxicity to	Toxicity to other
	(NOEC or ECx)*	(NOEC or ECx)*	and other aquatic	Microorganisms	organisms
			invertebrates	(NOEC or ECx)*	-
			(NOEC or ECx)*		
Sodium C10-13 Alkyl	0.5 mg/L (USEPA	0.23 mg/L (OECD 210;	1.18 mg/L (OECD 211;	-	2.4 mg/L (//OECD 218;
Benzenesulfonate	OPPTS 850.5400	Oncorhynchus mykiss;	Daphnia magna; 21 d)		Chironomus riparius;
	(1996);	72 d)			28 d)
	Pseudokirchneriella				
	subcapitata; 4 d)				
Sodium Cumenesulfonate	31 mg/L (US EPA OTS	-	-	> 1000 mg/L (OECD	-
	797.1050;			209; 0.125 d)	
	Pseudokirchnerella				
	subcapitata; 4 d)				
Lauramine Oxide	0.078 mg/L (OECD	0.42 mg/L (Pimephales	0.7 mg/L (OECD 211;	-	-
	201;	promelas; 302 d)	Daphnia magna; 21 d)		
	Pseudokirchneriella				
	subcapitata; 3 d)				
Citric Acid	425 mg/L	-	-	-	> 4000 mg/kg bw
	(Scenedesmus				(Guideline not
	quadricauda; 8 d)				indicated; Gallus
					domesticus; 14 d)

12.2. Persistence and degradability Persistence and degradability

- ereieriee and degradability				
Chemical name	Ready Biodegradation	Abiotic Degradation	Abiotic Degradation	Biodegradation Other
	Test (OECD 301)	Hydrolysis	Photolysis	Tests
Benzenesulfonic acid, C10-13-alkyl	85%CO2; OECD 301 B; 29	-	-	85% CO2; 29 d; OECD 301
derivs., sodium salts - 68411-30-3	d			В
Alcohols, C12-14, ethoxylated (n=7)	> 70 % (OECD 301 A (new	-	-	-
	version); 28 d; aerobic) and			
	> 60 %(OECD 301 B; 28 d;			
	aerobic)			
Benzenesulfonic acid,	> 103 - < 109 CO2 (OECD	-	-	99.8 % (Read across data
(1-methylethyl)-, sodium salt (1:1) -	301E; activated sludge; 28			on Sodium
28348-53-0	d)			p-toluenesulfonate; OECD

				301 B; aerobic; activated sludge, domestic, non-adapted; CO2 evolution; meets 10-d window criterion)
Amine oxides, C10-16-alkyldimethyl - 308062-28-4	90% CO2; OECD 301 B; 28 d	-	-	90% CO2; OECD 301 B; > 60% (10 d)
Citric Acid - 77-92-9	97% ; CO2; 28 d; OECD 301 B	-	-	93 % (OECD 303 A; aerobic; sludge from a communal sewage treatment plant; COD removal)

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Sodium C10-13 Alkyl Benzenesulfonate	1.4

Chemical name	Octanol/water partition coefficient	Bioconcentration factor (BCF)
Sodium C10-13 Alkyl Benzenesulfonate	1.4 (OECD 123)	87 L/kg (OECD 305)
Sodium Cumenesulfonate	-1.1	-
Lauramine Oxide	0.95 - 2.69	-
Citric Acid	-1.55	3.2 L/kg

12.4. Mobility in soil

Mobility in soil	No information available.	
	Chemical name	log Koc
Sodium C10-13 Alkyl Benzenesulfonate		3.4
	Lauramine Oxide	307

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Sodium C10-13 Alkyl Benzenesulfonate	The substance is not PBT / vPvB PBT assessment does
	not apply
C12-14 Pareth-n	The substance is not PBT / vPvB PBT assessment does
	not apply
Sodium Cumenesulfonate	The substance is not PBT / vPvB
Lauramine Oxide	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. Waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer. Where possible recycling is preferred to disposal or incineration. Empty, uncleaned packaging need the same disposal considerations as filled packaging.
Contaminated packaging	Do not reuse empty containers.

Waste codes / waste designations
according to EWC / AVV20 01 29* - detergents containing dangerous substances
15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ΙΑΤΑ	
14.1 UN number or ID number 14.2	Not regulated
 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 	Not regulated Not regulated Not applicable
IMDG 14.1 UN number or ID number 14.2	Not regulated
 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special precautions for user 	Not regulated Not regulated Not applicable
14.7 Maritime transport in bulk according to IMO instruments	No information available
RID	
14.1 UN number or ID number 14.2	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
ADR	
14.1 UN number or ID number 14.2	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user Special Provisions	None
ADN	
14.1 UN number or ID number 14.2	Not relevant
14.3 Transport hazard class(es)	No information available
14.4 Packing group 14.5 Marine pollutant	Not relevant Not regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Germany Water hazard class (WGK)

GK) obviously hazardous to water (WGK 2)

Netherlands

Poland

Announcement of the Speaker of the Sejm of the Republic of Poland of 13 April 2018 regarding the publication of a uniform text of the Act - Labor Code (Journal of Laws 2018, item 917, as amended). Announcement of the Speaker of the Sejm of the Republic of Poland of March 15, 2019 regarding the publication of a uniform text of the Act on Waste (Journal of Laws 2019 item 701, as amended). Regulation of the Minister of Development of 7 July 2016, repealing the Regulation on specific requirements for certain products due to their negative environmental impact (Journal of Laws of 2016, item 1099, as amended). Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 regarding the highest permissible concentrations and intensities of factors harmful to health in the work environment (Journal of Laws of 2018, item 1286 with subsequent amendments).

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII) Regulation (EC) No. 648/2004 (Detergents regulation) Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP] Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Isoeugenol	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

EU - Biocides

CESIO Recommendations	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer
	manufacturer.

15.2. Chemical safety assessment

Chemical Safety Report No chemical safety assessment has been carried out for this mixture per REACH regulation.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H319 Causes serious eye irritation
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H400 Very toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects
- H412 Harmful to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION TWA (time-weighted average) τιλλ

IVVA	TWA (lime-weighted ave
Ceiling	Maximum limit value

STEL

STEL (Short Term Exposure Limit) Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Serious eye damage/eye irritation	Expert judgment and weight of evidence determination
Chronic aquatic toxicity	Calculation method

Issuing Date:	01-Nov-2022
Revision Date:	01-Nov-2022
Further information	Salts listed in Section 3 without a REACh Registration number are exempt, based on Annex V.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet