

SAFETY DATA SHEET SHOCKAWAY

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SHOCKAWAY

Product number B194

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A water-based anti-static treatment for carpets and fabrics. Shockaway will help prevent the

build-up of static electricity on carpet fibres and fabrics and is formulated to help prevent resoiling on carpets. Shockaway should be used in conjunction with other measures such as increasing relative humidity, reducing heat and the use of anti-static mats or carpeting.

1.3. Details of the supplier of the safety data sheet

Supplier Prochem Europe Ltd

Oakcroft Road Chessington Surrey KT9 1RH

Telephone: 020 8974 1515 Fax: 020 8974 1511 sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of

a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information

Service, where our full product details are held.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

Human health Causes serious eye irritation. Splashes in the eyes may cause redness and irritation.

Prolonged or repeated exposure may cause the following adverse effects: skin irritation and dermatitis. Excessive inhalation of spray, mist or vapour may cause temporary respiratory

irritation. Ingestion may cause: irritation nausea systemic effects

Environmental The product is expected to be biodegradable.

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P102 Keep out of reach of children.

P260 Do not breathe spray.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Propan-2-ol		5-10%
CAS number: 67-63-0	EC number: 200-661-7	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F;R11 Xi;R36 R67	
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
STOT SE 3 - H336		

Fatty alcohol ethoxylate	<	1.5%
CAS number: 68439-46-3		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Dam. 1 - H318	Xn;R22. Xi;R41.	
Acute Tox. 4 - H302		

Alcohol ethoxylate	<1.5
CAS number: 78330-21-9	
Classification	Classification (67/548/EEC or 1999/45/EC)
Eye Dam. 1 - H318	Xn;R22. Xi;R41.
Acute Tox. 4 - H302	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

SHOCKAWAY

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink.

Never give anything by mouth to an unconscious person. Get medical attention.

Skin contact Wash skin thoroughly with soap and water. Get medical attention if irritation persists after

washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort

continues.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

5.3. Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands

thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or

smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Store in closed original container at temperatures between

5°C and 30°C.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

Propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Provide adequate ventilation.

Eye/face protection Side shield safety glasses are recommended when handling concentrate or during spray

application.

Hand protection Wear protective gloves. It is recommended that gloves are made of the following material:

Nitrile rubber. Protective gloves should be inspected for wear before use and replaced

regularly in accordance with the manufacturers specifications.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat,

drink or smoke when using this product.

Respiratory protection For situations where recommended exposure limits may be exceeded or where there is a risk

of inhalation of fine spray mists, a suitable respirator face mask is recommended.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Slight alcoholic.

pH pH (concentrated solution): 8 pH (diluted solution): 8

Initial boiling point and range 100°C

Flash point Not applicable.

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not determined.

Vapour density Not determined.

SHOCKAWAY

Relative density 1.0

Solubility(ies)

Partition coefficient

Not determined.

Viscosity

Not determined.

Explosive properties

Not applicable.

9.2. Other information

Oxidising properties

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not determined.

Not applicable.

10.4. Conditions to avoid

Conditions to avoid Store in closed original container at temperatures between 5°C and 30°C. Protect from

freezing and direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Possible respiratory irritation by wetting agents in atomised spray form. Excessive exposure

may cause respiratory irritation and/or temporary central nervous system effects including dizziness, weakness, fatigue, nausea and headache. Ingestion may cause: systemic effects

Acute toxicity - oral

ATE oral (mg/kg) 20,032.05128205

Skin corrosion/irritation

Skin corrosion/irritation Prolonged or repeated exposure may cause the following adverse effects:,skin irritation and

dermatitis.

Serious eye damage/irritation

Serious eye damage/irritation Contact with concentrate Causes serious eye irritation.

Skin sensitisation

Skin sensitisation None known.

Germ cell mutagenicity

SHOCKAWAY

Genotoxicity - in vivoNo effects expected based upon current data.

Carcinogenicity

Carcinogenicity No effects expected based upon current data.

Reproductive toxicity

Reproductive toxicity - fertility No effects expected based upon current data.

Toxicological information on ingredients.

Propan-2-ol

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 2,000

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000

mg/kg)

Species Rabbit

Fatty alcohol ethoxylate

Alcohol ethoxylate

Acute toxicity - oral

Acute toxicity oral (LD₅₀

mg/kg)

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

2,000

2,000

Species Rat

SECTION 12: Ecological Information

12.1. Toxicity

Ecological information on ingredients.

Propan-2-ol

Acute toxicity - fish LC50, 48 hours, 48 hours: > 100 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: >100 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours, 72 hours: > 100 mg/l, Scenedesmus subspicatus

Fatty alcohol ethoxylate

Acute toxicity - fish LC₅₀, 96 hours: 1-10 mg/l, Fish

Alcohol ethoxylate

Acute toxicity - fish LC₅₀, 96 hours: 10-100 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

Partition coefficient Not determined.

12.4. Mobility in soil

Mobility The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers should be rinsed with water then crushed

and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information Telephone 020 8974 1515

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 29/05/2015

Revision 3

Supersedes date 09/12/2014

Signature Aaron Saunders

Risk phrases in full NC Not classified.

R11 Highly flammable. R22 Harmful if swallowed. R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

R67 Vapours may cause drowsiness and dizziness.

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.